

Iconic Eyes

BERNHARD DESSECKER



The first sparkle of this great idea was inspired by iconic automotive headlights. They have been modified to design a grand pendant light with a classy, powerful impact for the foyer of the Bavarian National Museum in Germany. The light's oval design is modern with a classic touch. It generates a precious ambient glow enhanced by bright rings of light and is produced in two sizes. Glorious and breathtaking in appearance, it consists of numerous lenses and a constellation of LED lights.

Detailing



Iconic Eyes consists of the characteristic headlights of a BMW MINI, which are placed in an oval shape and create an atmospheric glow.


Colours

Black Chrome

Iconic Eyes / Iconic Eyes 161

Dimensions

77cm | 30.3"



119cm | 46.9"

Product

WIDTH 77cm | 30.3"
HEIGHT 119cm | 46.9"
DEPTH 77cm | 30.3"
DIAMETER 77cm | 30.3"
WEIGHT NETTO 70kg | 154.32lbs

Packaging

WIDTH 96cm | 37.8"
HEIGHT 164cm | 64.6"
CUBAGE 1.51m³ | 53.38ft³
LENGTH 96cm | 37.8"
WEIGHT 100kg | 220.46lbs

Technical CE

MATERIAL

PE Sphere with PC and ABS lenses and chrome detailing

ENERGY LABEL

Energy Label B

LIGHTSOURCE INCLUDED

Yes

SHAPE

Abstract

FREQUENCY

50/60

DIMMABLE

Yes

LIFETIME

50000 hours

CABLE LENGTH

1000cm | 393.7"

COLOUR TEMPERATUE

2700 K

LIGHT OUTPUT

7019 lm

LIGHTSOURCE TYPE

LED

NUMBER OF LIGHTSOURCES

161

INPUT VOLTAGE

100-264

MAX POWER CONSUMPTION

220W

LAMPHOLDER

LED (Solid state)

CABLE COLOUR

Transparent with tinned cores

CANOPY

White metal rectangle

CRI

88

Technical cULus

MATERIAL

PE Sphere with PC and ABS lenses and chrome detailing

ENERGY LABEL

Energy Label B

LIGHTSOURCE INCLUDED

Yes

SHAPE

Abstract

FREQUENCY

50/60

DIMMABLE

Yes

LIFETIME

50000 hours

CABLE LENGTH

1000cm | 393.7"

COLOUR TEMPERATURE

2700 K

LIGHT OUTPUT

7019 lm

LIGHTSOURCE TYPE

LED

NUMBER OF LIGHTSOURCES

161

INPUT VOLTAGE

100-264

MAX POWER CONSUMPTION

220W

LAMPHOLDER

LED (Solid state)

CABLE COLOUR

Transparent with tinned cores

CANOPY

White metal rectangle

CRI

88

Iconic Eyes / Iconic Eyes 85

Dimensions

60cm | 23.6"



88cm | 34.6"

Product

WIDTH 60cm | 23.6"

HEIGHT 88cm | 34.6"

DEPTH 60cm | 23.6"

DIAMETER 60cm | 23.6"

WEIGHT NETTO 35kg | 77.16lbs

Packaging

WIDTH 86cm | 33.9"

HEIGHT 136cm | 53.5"

CUBAGE 1.01m³ | 35.52ft³

LENGTH 86cm | 33.9"

WEIGHT 90kg | 198.42lbs

Technical CE

MATERIAL

PE Sphere with PC and ABS lenses and chrome detailing

ENERGY LABEL

Energy Label B

LIGHTSOURCE INCLUDED

Yes

SHAPE

Abstract

FREQUENCY

50/60

DIMMABLE

Yes

LIFETIME

50000 hours

CABLE LENGTH

400cm | 157.5"

COLOUR TEMPERATUE

2700 K

LIGHT OUTPUT

3706 lm

LIGHTSOURCE TYPE

LED

NUMBER OF LIGHTSOURCES

85

INPUT VOLTAGE

100-264

MAX POWER CONSUMPTION

110W

LAMPHOLDER

LED (Solid state)

CABLE COLOUR

Transparent with tinned cores

CANOPY

White metal rectangle

CRI

88

*Technical cULus***MATERIAL**

PE Sphere with PC and ABS lenses and chrome detailing

ENERGY LABEL

Energy Label B

LIGHTSOURCE INCLUDED

Yes

SHAPE

Abstract

FREQUENCY

50/60

DIMMABLE

Yes

LIFETIME

50000 hours

CABLE LENGTH

400cm | 157.5"

COLOUR TEMPERATUE

2700 K

LIGHTSOURCE TYPE

LED

NUMBER OF LIGHTSOURCES

85

INPUT VOLTAGE

100-264

MAX POWER CONSUMPTION

110W

LAMPHOLDER

LED (Solid state)

CABLE COLOUR

Transparent with tinned cores

CANOPY

White metal rectangle

CRI

88

LIGHT OUTPUT

3706 lm

Dimmer

For fluent dimming behaviour we advise a dimmer that is compatible with the following specs.

DIMMER TYPE

1-10V

Please note the functioning of the dimmer and the power supply combination can never be predicted, it always needs to be tested in practice.
