moooi

NR2 Floor Lamp

BERTJAN POT



Like its suspended family members, the NR2 Floor Lamp, by Bertjan Pot, sports an elegant and bright oval-shaped bubble of white or black thread. Thanks to the airy lattice pattern of the bubble and the sleek steel column, the NR2 Floor Lamp doesn't block any views. Put this versatile design in any place that needs brightening up, such as a dark hallway or next to your favourite reading spot. The integrated LED lamp in NR2 subtly diffuses a soft and magical glow. NR2 Floor Lamp is available in two different colours.

Detailing



There's no more versatile light than a floor lamp. Pick it up and put it wherever it's darkest. The transparency of NR2 Floor Lamp keeps a space light

Colours





Black

White

NR2 Floor Lamp / Medium

Dimensions

56cm | 22"

0

Product

WEIGHT NETTO 4.5kg | 9.92lbs

Packaging

WEIGHT 10.5kg | 23.15lbs

 $\begin{array}{lll} \mbox{width } 56\mbox{cm } \mbox{| } 22" & \mbox{width } 69.5\mbox{cm } \mbox{| } 27.4" \\ \mbox{height } 164\mbox{cm} \mbox{| } 64.6" & \mbox{height } 172.1\mbox{cm} \mbox{| } 67.8" \\ \mbox{depth } 56\mbox{cm} \mbox{| } 22" & \mbox{cubage } 0.78\mbox{m}^3 \mbox{| } 27.67\mbox{ft}^3 \\ \mbox{diameter } 56\mbox{cm} \mbox{| } 22" & \mbox{length } 65.5\mbox{cm} \mbox{| } 25.8" \\ \end{array}$

Technical CE

ADDITIONAL

See the world from your own elegant and lighthearted bubble: the NR2 is now available as a floor light. Thanks to an integrated LED light, this new creation by Bertjan Pot subtly diffuses its soft, magic glow around the room.

MATERIAL

Ellipsoid from fiberglass with epoxy resin, ABS cover, PC diffuser and aluminum heatsink on a powdercoated steel stand

ENERGY LABEL

В

NUMBER OF LIGHTSOURCES

1

INPUT VOLTAGE 208-277V

MAX POWER CONSUMPTION

16W

CABLE COLOUR

Black

CABLE LENGTH

350cm | 137.8"

COLOUR TEMPERATURE

2700 K

All directions

LIGHTSOURCE TYPE

LED

DIAMETER SHADE 56cm | 22"

FREQUENCY 50/60

LAMPHOLDER

LED (Solid state)

PLUG TYPE

Europlug (Type-C)

SWITCH

In line slide dimmer with on/off switch

CRI 82

LIGHT OUTPUT 450 lm

DIMMING & LIGHTING CONTROL

Dimmer on power cord

See last page for more information about the dimming possibilities.



Technical UL

ADDITIONAL

See the world from your own elegant and lighthearted bubble: the NR2 is now available as a floor light. Thanks to an integrated LED light, this new creation by Bertjan Pot subtly diffuses its soft, magic glow around the room.

MATERIAL

Ellipsoid from fiberglass with epoxy resin, ABS cover, PC diffuser and aluminum heatsink on a powdercoated steel stand

ENERGY LABEL LIGHTSOURCE TYPE

LED

NUMBER OF LIGHTSOURCES

DIAMETER SHADE

56cm | 22"

INPUT VOLTAGEFREQUENCY120V50/60

MAX POWER CONSUMPTIONLAMPHOLDER16WLED (Solid state)

CABLE COLOURPLUG TYPEBlackUS plug (Type A)

CABLE LENGTH350cm | 137.8"

switch
In line slide dimmer with on/off switch

COLOUR TEMPERATURECRI2700 K82

All directions

LIGHT OUTPUT
450 Im

Dimmer on power cord

DIMMING & LIGHTING CONTROL

See last page for more information about the dimming possibilities.

C (UL) US

Dimming & Lighting Control

Dimmer on power cord

Compatible models: Medium CE, Medium UL