

m o o o i

Perch Light Floor

UMUT YAMAC



Look up, into the soft light, follow the fluttering sound and sparks of movement. A bird is gracefully balanced on a tall metal perch, beautiful and proud, a swinging glimmer of warm light... yet you are inside, after daylight has faded, under the spell of the Perch Light Floor Lamp!

Detailing




This sunlit bird is free to swing when softly touched. It gently glows and brings along the promise of spring.

Colours

Brass and white

Perch Light Floor

Dimensions



Product

WIDTH 28cm | 11"
HEIGHT 164cm | 64.6"
DEPTH 33cm | 13"
WEIGHT NETTO 9kg | 19.84lbs

Packaging

WIDTH 34cm | 13.4"
HEIGHT 33cm | 13"
CUBAGE 0.18m³ | 6.34ft³
LENGTH 160cm | 63"
WEIGHT 8.5kg | 18.74lbs

Technical CE

MATERIAL

Steel and aluminium frame with polycarbonate (PC) and synthetic paper birds.

ENERGY LABEL

Energy Label B

LIGHTSOURCE TYPE

LED

LIGHTSOURCE INCLUDED

Yes

NUMBER OF LIGHTSOURCES

1

INPUT VOLTAGE

90-264

FREQUENCY

50/60

MAX POWER CONSUMPTION

5W

DIMMABLE

No

LAMPHOLDER

LED (Solid state)

LIFETIME

50000 hours

CABLE COLOUR

Black

PLUG TYPE

Europlug (Type-C)

CABLE LENGTH

450cm | 177.2"

SWITCH

In line on/off switch

COLOUR TEMPERATURE

3000 K

CRI

80

LIGHT DIRECTION

All directions

LIGHT OUTPUT

150 lm

Technical cULus

MATERIAL

Steel and aluminium frame with polycarbonate (PC) and synthetic paper birds.

ENERGY LABEL

Energy Label B

LIGHTSOURCE TYPE

LED

LIGHTSOURCE INCLUDED

Yes

NUMBER OF LIGHTSOURCES

1

INPUT VOLTAGE

100-240

FREQUENCY

50/60

MAX POWER CONSUMPTION

5W

DIMMABLE

No

LAMPHOLDER

LED (Solid state)

LIFETIME

50000 hours

CABLE COLOUR

Black

PLUG TYPE

US plug (Type A)

CABLE LENGTH

450cm | 177.2"

SWITCH

In line on/off switch

COLOUR TEMPERATURE

3000 K

CRI

80

LIGHT DIRECTION

All directions

LIGHT OUTPUT

150 lm