

m o o o i

## Prop Light Floor

BERTJAN POT



"We have round lights, we have straight lights. We have them with lights on one side, we have them with lights on two sides. You can hang them high, low, horizontally, vertically or even hang them in an angle. Put them on the floor, hang them on your wall or down from the ceiling. We find it very hard to imagine an interior where this prop is not in place" - Bertjan Pot

---

### *Detailing*



A theatrical, extravagant lamp that can be place on the floor. Its bubbly form and pure spirit brightens up any kind of environment.

---

### *Colours*

2000K

Warm White

2700K

Soft White


# Prop Light Floor / Vertical

## Dimensions

25cm | 9.8"



107cm | 42.1"



## Product

**WIDTH** 25cm | 9.8"  
**HEIGHT** 107cm | 42.1"  
**DEPTH** 25cm | 9.8"  
**WEIGHT NETTO** 8kg | 17.64lbs

## Packaging

**WIDTH** 30cm | 11.8"  
**HEIGHT** 30cm | 11.8"  
**CUBAGE** 0.12m<sup>3</sup> | 4.23ft<sup>3</sup>  
**LENGTH** 133cm | 52.4"  
**WEIGHT** 10kg | 22.05lbs

## Technical CE

### ADDITIONAL

The Proplight is available in two colour temperatures: 2000K or 2700K.

### MATERIAL

HIPS housing, PMMA light guide, glass bulbs

### ENERGY LABEL

A

### LIGHTSOURCE TYPE

LED

### LIGHTSOURCE INCLUDED

Yes

### NUMBER OF LIGHTSOURCES

18

### SHAPE

Linear

### INPUT VOLTAGE

110-240V

### FREQUENCY

50/60

### MAX POWER CONSUMPTION

10.3W

### LAMPHOLDER

LED (Solid state)

### LIFETIME

50000 hours

### CABLE COLOUR

Black

### PLUG TYPE

Europlug (Type-C)

### CABLE LENGTH

250cm | 98.4"

### SWITCH

In line on/off switch

### CRI

80

### LIGHT DIRECTION

All directions

### LIGHT OUTPUT

499 lm

### DIMMING & LIGHTING CONTROL

Integrated dimmer

*See last page for more information about the dimming possibilities.*



---

## Technical UL

### ADDITIONAL

The Proplight is available in two colour temperatures: 2000K or 2700K.

### MATERIAL

HIPS housing, PMMA light guide, glass bulbs

### ENERGY LABEL

A

### LIGHTSOURCE TYPE

LED

### LIGHTSOURCE INCLUDED

Yes

### NUMBER OF LIGHTSOURCES

18

### SHAPE

Linear

### INPUT VOLTAGE

110-240V

### FREQUENCY

50/60

### MAX POWER CONSUMPTION

10.3W

### LAMPHOLDER

LED (Solid state)

### LIFETIME

50000 hours

### CABLE COLOUR

Black

### PLUG TYPE

US plug (Type A)

### CABLE LENGTH

250cm | 98.4"

### SWITCH

In line on/off switch

### CRI

80

### LIGHT DIRECTION

All directions

### LIGHT OUTPUT

499 lm

### DIMMING & LIGHTING CONTROL

Integrated dimmer


*See last page for more information about the dimming possibilities.*





# Prop Light Floor / Round

## Dimensions

73cm | 28.7"



32cm | 12.6"



82cm | 32.3"

## Product

**WIDTH** 73cm | 28.7"

**HEIGHT** 82cm | 32.3"

**DEPTH** 32cm | 12.6"

**WEIGHT NETTO** 10kg | 22.05lbs

## Packaging

**WIDTH** 88cm | 34.6"

**HEIGHT** 34cm | 13.4"

**CUBAGE** 0.27m<sup>3</sup> | 9.4ft<sup>3</sup>

**LENGTH** 89cm | 35"

**WEIGHT** 15kg | 33.07lbs

## Technical CE

### ADDITIONAL

The Proplight is available in two colour temperatures: 2000K or 2700K.

### MATERIAL

HIPS housing, PMMA light guide, glass bulbs

### ENERGY LABEL

B

### LIGHTSOURCE TYPE

LED

### LIGHTSOURCE INCLUDED

Yes

### NUMBER OF LIGHTSOURCES

48

### SHAPE

Disc

### INPUT VOLTAGE

110-240V

### FREQUENCY

50/60

### MAX POWER CONSUMPTION

21W

### LAMPHOLDER

LED (Solid state)

### LIFETIME

50000 hours

### CABLE COLOUR

Black

### PLUG TYPE

Europlug (Type-C)

### CABLE LENGTH

250cm | 98.4"

### SWITCH

In line on/off switch

### CRI

80

### LIGHT DIRECTION

All directions

### LIGHT OUTPUT

1079 lm

### DIMMING & LIGHTING CONTROL

Integrated dimmer

*See last page for more information about the dimming possibilities.*



---

## Technical UL

### ADDITIONAL

The Proplight is available in two colour temperatures: 2000K or 2700K.

### MATERIAL

HIPS housing, PMMA light guide, glass bulbs

### ENERGY LABEL

B

### LIGHTSOURCE TYPE

LED

### LIGHTSOURCE INCLUDED

Yes

### NUMBER OF LIGHTSOURCES

48

### SHAPE

Disc

### INPUT VOLTAGE

110-240V

### FREQUENCY

50/60

### MAX POWER CONSUMPTION

21W

### LAMPHOLDER

LED (Solid state)

### LIFETIME

50000 hours

### CABLE COLOUR

Black

### PLUG TYPE

US plug (Type A)

### CABLE LENGTH

250cm | 98.4"

### SWITCH

In line on/off switch

### CRI

80

### LIGHT DIRECTION

All directions

### LIGHT OUTPUT

1079 lm

### DIMMING & LIGHTING CONTROL

Integrated dimmer

*See last page for more information about the dimming possibilities.*



## *Dimming & Lighting Control*

### *Integrated dimmer*

Compatible models: Vertical CE, Vertical UL, Round CE, Round UL

---