

The Party

KRANEN/GILLE



'The Party' is inspired by a clan of strong, captivating personalities. Their casted ceramic faces bring to light our fascination with secrets, family dynamics and intrigue. If seen together, as a splendid party, they brighten up the stage with their cool playfulness. Yet behind the lamps' composed façades a mischievous side seeps through and touches our imagination. The characters that join The Party each have an intriguing story that connects them: the want-to-be aristocrat, the black sheep, the opportunist, the patriot and the evil mastermind. Fragments of their personalities appeal to our own hidden side, stimulating recognition, interest and curiosity. The lamps share the same basic tactile feel, a subtle roughness given by the granular ceramic finish, but are distinguished by their individual style and detailing.

Detailing



This lamp brings The Mayor, Bert, Glenn, Ted & Coco, The Party together for a family reunion.


Colours



Grey

The Party

Dimensions



Product

WIDTH 120cm | 47.2"
HEIGHT 21cm | 8.3"
DEPTH 28cm | 11"
WEIGHT NETTO 15kg | 33.07lbs

Packaging

WIDTH 33cm | 13"
HEIGHT 33cm | 13"
CUBAGE 0.15m³ | 5.31ft³
LENGTH 138cm | 54.3"
WEIGHT 15kg | 33.07lbs

Technical CE

MATERIAL

Ceramic, enogobio finish, aluminium, brass knob

ENERGY LABEL

LIGHTSOURCE TYPE

LED

NUMBER OF LIGHTSOURCES

10

INPUT VOLTAGE

220-240

MAX POWER CONSUMPTION

52W

LAMPHOLDER

LED (Solid state)

CABLE COLOUR

Transparent with tinned cores

INSTALLATION REQUIRED

Yes

LIGHTSOURCE INCLUDED

Yes

SHAPE

Linear

FREQUENCY

50/60

DIMMABLE

Yes

LIFETIME

50000 hours

CABLE LENGTH

400cm | 157.5"; 1000cm | 393.7"

CANOPY

Pebble II Steel Coated, ABS

CRI

85

LIGHT OUTPUT

770 lm

COLOUR TEMPERATURE

2700 K

LIGHT DIRECTION

All directions

*Technical cULus***MATERIAL**

Ceramic, enogobio finish, aluminium, brass knob

ENERGY LABEL**INSTALLATION REQUIRED**

Yes

LIGHTSOURCE TYPE

LED

LIGHTSOURCE INCLUDED

Yes

NUMBER OF LIGHTSOURCES

10

SHAPE

Linear

INPUT VOLTAGE

110-120

FREQUENCY

50/60

MAX POWER CONSUMPTION

52W

DIMMABLE

Yes

LAMPHOLDER

LED (Solid state)

LIFETIME

50000 hours

CABLE COLOUR

Transparent with tinned cores

CABLE LENGTH

400cm | 157.5"; 1000cm | 393.7"

CANOPY

Pebble II Steel Coated, ABS

COLOUR TEMPERATURE

2700 K

CRI

85

LIGHT DIRECTION

All directions

LIGHT OUTPUT

770 lm

Dimmer

For fluent dimming behaviour we advise a dimmer that is compatible with the following specs.

Please note the functioning of the dimmer and the power supply combination can never be predicted, it always needs to be tested in practice.

DIMMER TYPE

Mains dimmable (trailing edge / reverse phase)

LOAD TYPE

Capacitive load (C-Type)