

m o o o i

Valentine Suspended

MARCEL WANDERS STUDIO




Love at first sight! A magic mirror and the power of crystals transform a simple shell into an endless light bouquet of flowers.

Detailing



Love is in the air! The Valentine guarantees sparkles of romance with its warm glow of its florid heart.


Colours



Black

Silver

Gold



White

Valentine Suspended / Baby

Dimensions

21cm | 8.3"



18cm | 7.1"

Product

WIDTH 21cm | 8.3"

HEIGHT 18cm | 7.1"

DEPTH 21cm | 8.3"

DIAMETER 21cm | 8.3"

WEIGHT NETTO 2.5kg | 5.51lbs

Packaging

WIDTH 30cm | 11.8"

HEIGHT 28cm | 11"

CUBAGE 0.03m³ | 0.89ft³

LENGTH 30cm | 11.8"

WEIGHT 3.5kg | 7.72lbs

Technical CE

MATERIAL

Crystal clear blown glass with metal shade.

ENERGY LABEL

A++ to E

LIGHTSOURCE TYPE

Incandescent

SHAPE

Bell

FREQUENCY

50/60

DIMMABLE

Yes

RECOMMENDED LIGHTSOURCE

Classic or Candle (Type A or C)

CABLE LENGTH

400cm | 157.5"; 1000cm | 393.7"

LIGHT DIRECTION

All directions

INSTALLATION REQUIRED

Yes

NUMBER OF LIGHTSOURCES

1

INPUT VOLTAGE

220-240

MAX POWER CONSUMPTION

60W

LAMPHOLDER

E14

CABLE COLOUR

Transparent with tinned cores

CANOPY

Matching steel cylinder

Technical cULus

MATERIAL

Crystal clear blown glass with metal shade.

ENERGY LABEL

A++ to E

LIGHTSOURCE TYPE

Incandescent

SHAPE

Bell

FREQUENCY

50/60

DIMMABLE

Yes

RECOMMENDED LIGHTSOURCE

Classic or Candle (Type A or C)

CABLE LENGTH

400cm | 157.5"

LIGHT DIRECTION

All directions

INSTALLATION REQUIRED

Yes

NUMBER OF LIGHTSOURCES

1

INPUT VOLTAGE

110-130

MAX POWER CONSUMPTION

60W

LAMPHOLDER

E12

CABLE COLOUR

Transparent with tinned cores

CANOPY

Matching steel cylinder

Valentine Suspended / Large

Dimensions

36cm | 14"**30cm | 11.6"**

Product

WIDTH 36cm | 14.2"**HEIGHT** 30cm | 11.8"**DEPTH** 36cm | 14.2"**DIAMETER** 36cm | 14.2"**WEIGHT NETTO** 8.5kg | 18.74lbs

Packaging

WIDTH 43cm | 16.9"**HEIGHT** 41cm | 16.1"**CUBAGE** 0.08m³ | 2.68ft³**LENGTH** 43cm | 16.9"**WEIGHT** 9.5kg | 20.94lbs

Technical CE

MATERIAL

Crystal clear blown glass with metal shade.

ENERGY LABEL

A++ to E

LIGHTSOURCE TYPE

Incandescent

INSTALLATION REQUIRED

Yes

NUMBER OF LIGHTSOURCES

1

SHAPE

Bell

FREQUENCY

50/60

DIMMABLE

Yes

RECOMMENDED LIGHTSOURCE

Type A

CABLE LENGTH

400cm | 157.5"; 1000cm | 393.7"

LIGHT DIRECTION

All directions

INPUT VOLTAGE

220-240

MAX POWER CONSUMPTION

105W

LAMPHOLDER

E27

CABLE COLOUR

Transparent with tinned cores

CANOPY

Matching steel cylinder

*Technical cULus***MATERIAL**

Crystal clear blown glass with metal shade.

ENERGY LABEL

A++ to E

LIGHTSOURCE TYPE

Incandescent

SHAPE

Bell

FREQUENCY

50/60

DIMMABLE

Yes

RECOMMENDED LIGHTSOURCE

Type A

CABLE LENGTH

400cm | 157.5"

LIGHT DIRECTION

All directions

INSTALLATION REQUIRED

Yes

NUMBER OF LIGHTSOURCES

1

INPUT VOLTAGE

110-130

MAX POWER CONSUMPTION

60W

LAMPHOLDER

E26

CABLE COLOUR

Transparent with tinned cores

CANOPY

Matching steel cylinder

Dimmer

For fluent dimming behaviour we advise a dimmer that is compatible with the following specs.

DIMMER TYPE

Mains dimmable with compatible light source

Please note the functioning of the dimmer and the power supply combination can never be predicted, it

always needs to be tested in practice.
